

2011 Military Health System Conference

Labeling of Patient Specimens

The Quadruple Aim: Working Together, Achieving Success

Ms. Sandra Clark

26 January



USAF Academy/10 MDG

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 26 JAN 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Labeling of Patient Specimens				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) USAF Academy/10 MDG,4102 Pinion Dr,USAF,CO,80840				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES presented at the 2011 Military Health System Conference, January 24-27, National Harbor, Maryland					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 13	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

AFSO21 A3



INFOCON: 3

UNCLASSIFIED

FPCON: Alpha

Page 1 of 2

View Options X Close

Team Leader: Capt Custer
Team Members: Mr. Cislind (FPC), SSgt Ally (AMDS), SSgt Kim (Derm), Ms. Clark (PS Manager), Capt Alaniz (OR), TSgt Blumens (Int Med), SSgt Cole (WHC), SSgt Ellis (ACC), Mr Hayes (Histo/Cyto).
Facilitators: Mr Pysatt, CMSgt Simmons Observers: Ms. Robbins & Col Ness, Ms. Woolley

USAFA 10MDG Specimen Labeling

Approval Signatures:
 Process Owner: Major Favero
 Champion: Col Ness
 Event dates: 12-14 May 2009

1. Clarify & Validate the Problem

Facility has identified an increase in number of patient lab specimens that are unlabeled, incorrectly labeled, or not ordered consistent with the specimens. These specimens have come from different clinics, 8 different value streams are in place with no standard work identified in the facility. Trigger: Decision to obtain specimen. End Point: Lab accepts specimen.



2. Break Down the Problem/Identify

Break Down the Problem

Performance Gaps

- The following specimen data was provided during the event.
 - An average of 6000 specimens are obtained per month
 - Incident labeling errors reported on 10-15 specimens per month (approx. 0.25% error rate)

Note: It was noted during the event that the actual number of near miss incidents reported monthly was low due to laboratory personnel performing rounds each morning to collect the laboratory specimens. When an error was found by the laboratory technician the specimen was left, reported to staff and not collected until after correction, delaying patient care and treatment.


3. Set Improvement Target

- 100% of patient specimens are labeled correctly with a consistent order first time thru the implementation of a standardized process for label content, handling specimens, and ordering in all section. Start Point: decision to obtain specimens. End Point: Properly labeled specimen accepted by the laboratory.



4. Determine Root Cause

Root Cause:



5. Develop Countermeasures/Action Plan

Description	Type	OPR	ESD	ECD
Develop Standard Process for specimen labeling	Just Do It (JDI)	Capt Alaniz	14 May 09	14 May 09
Purchased retail printer to print labels	JDI	Capt Custer	14 May 09	22 May 09 (completed)
Develop standard training for all clinics	JDI	SSgt Ally	15 May 09	29 May 09
Develop standard label content for all clinics	JDI	SSgt Kim	14 May 09	15 May 09
Develop Visual Management Boards	JDI	SSgt Cole	14 May 09	15 May 09
Develop labeling instructions for all Clinics	Project	SSgt Kim	15 May 09	3 June 09
Train personnel on lab for feedback and review results	JDI	SSgt Kim	14 Aug 09	Aug 10
Develop TICS sheet to track near misses	JDI	SSgt Kim	15 May 09	19 May 09 (completed)

Air Force Inspection Agency

6. See Countermeasures/Action Plan Through

- Team Members implement the following:
 - Standardize labeling process, mistake proof at the source
 - Standardize label content, automate with inkless printers once process is proven
 - Place visual reminders for providers and support staff.
- Event countermeasures were presented and approved by the 10 MDG Executive Staff 21 May 2010.
- CPI - 15 July 2009 no change in results -found new personnel were not receiving the training. All clinics added training to newcomers unit training. Reported as completed to Executive Staff 28 Aug 09.

7. Confirm Results & Process

- PS Manager will track and review specimen near miss/incident report monthly.
 - Email monthly summary to clinics for review and follow-up as needed.



- Breakthrough goal achieved Oct 09. *Zero Defect Management in progress.
- Found training of new staff not part of orientation-added to clinic orientation checklist
- Learned signage not in appropriate areas post moves-clinics revisited & educated on need-purpose for visual cues
- Confirmed inkless printers not working appropriately nor connected in all clinics. Systems contacted clinic NOIC/OICs & placed connected as appropriate
- Provided retraining to all clinic POCs, confirmed staff knowledge of printers and rounded clinics to confirm placement of visual cues
- Developed standardized label with Systems for use on all specimens, with room to hand print any unusual pertinent information.

8. Standardize Successful Processes

- Revitalize the MDGI ECD post-sustainment.
- Logged event into CPI-MT update as results are available.
- Contact SAF/ISO for AF integration if countermeasure result if significant improvement occurs.

1. Clarify/Validate the Problem-

OODA



Assure all Understand Same Issues:

Facility has identified an increase in number of patient lab specimens that are unlabeled, incorrectly labeled, or not ordered consistent with the specimens. These specimens have come from different clinics; 8 different value streams are in place with no standard work identified in the facility. **Trigger:** Decision to obtain specimen. **End Point:** Lab accepts specimen.



Air Force Inspection Agency



Air Force Inspection Agency

2. Break Down the Problem/Identify- OODA



Break Down the Problem

Performance Gaps:

1. The following specimen data was provided during the event.
 - a. An average of 6000 specimens are obtained per month
 - b. Incident labeling errors reported on 10-15 specimens per month (approx. 0.25% error rate)


3. Set Improvement Target-

OODA



Identify Target

1. 100% of patient specimens are labeled correctly with a consistent order first time thru the implementation of a standardized process for label content, handling specimens and ordering in all section.




What Lab 'requires' on label

U.S. AIR FORCE

<ul style="list-style-type: none">◆ Clinical/Anatomical<ul style="list-style-type: none">> Name (last, first, mid init)> FMP/SSN> DOB> Date/Time> Micro → Source> Order in CHCS> AP → Detailed Location & hand copy> "Order and Specimen container must match"> Legible	<ul style="list-style-type: none">◆ Lab places new label over first label. New label has same information as first label except bar code is added
---	---

Air Force Inspection Agency

13




4. Determine Root Cause-

OODA



U.S. AIR FORCE

Fishbone Diagram



Air Force Inspection Agency

5. Develop Countermeasures & Action Plans-

OODA



Action Plan



Description	Type	OPR	ESD	ECD
Develop Standard Process to label specimens Lab and Path processes (support staff - double check order before sent to lab, only handle specimens (assigned), ask patient for name, DOB, last 4 SSN, ensure specimens never leaves label and if moved it is labeled), All orders in system and all near misses and errors reported to patient safety	Just Do It (JDI)	Capt Alaniz	14 May 09	14 May 09
Purchase/Install printers in each clinic to print labels Research compatible printer, Cost, Time Frame	JDI	Capt Cutter	14 May 09	22 May 09 (proposal)
Develop standard training for all clinics	JDI	SSgt Ally	15 May 09	29 May 09
Develop standard label content for all clinics	JDI	Mr Haynes	14 May 09	15 May 09
Develop Visual Management Sheets For Providers, support staff (reminders) Steps at computer for labeling (exit doors in clinics)	JDI	SSgt Cole SSgt Ellis	14 May 09	19 May 09
Develop labeling instruction for all Clinics Attachment to MDGI 44-10 Notify change to clinic orientation checklist	Project	SSgt Kim	15 May 09	5 June 09
Team members meet 1/4ly for feedback and review results Meeting 14 Aug 09, 1400 in lab break room	Ongoing thru out	Maj Favero	14 Aug 09	Aug 10
Develop TICK sheet to track near misses Clinics will provide to PS 1st working day of month	JDI	Ms. Clark	15 May 09	19 May 09 (sheet)

Air Force Inspection Agency

6. See Countermeasures/Action Plan Through- OODA



Follow Through:

1. Team Members implement the following:
 - a. Standardize labeling process, mistake proof at the source
 - b . Standardize label content, automate with inkless printers once process is proven
 - c . Place visual reminders for providers and support staff
2. Event countermeasures were presented/approved by the 10 MDG Executive Staff 21 May 2010
3. 15 July 2009 no change in results - new personnel not receiving training. Added to clinic unit orientation. Reported as completed to Executive Staff 28 Aug 09.

7. Confirm Results & Process- OODA



Tracking & Trending:

1. PS Manager will track and review specimen near miss/incident report monthly.
 - a. Email monthly summary to clinics for review and follow-up as needed.



8. Standardize Successful Processes- OODA



Standardization:

1. Rewrote MDGI ECD post-sustainment
2. Updated event into CPI-MT as results available
3. Contacted SAF/SO for AF integration of countermeasure result w/ significant improvement

Lessons learned:

1. Need for active patient involvement-assure accuracy of their information: Patients are KEY!
2. Standardized work is essential: Visual Cues
3. Visual Cues decrease risk.

Visual Cue #1 In Exam Rooms



INFOCON: 3 UNCLASSIFIED FPCON: Alpha

Page 1 of 1 View Options Close

SPECIMEN COLLECTION & LABELING Visual Reminder

- ACTIVE QUESTIONING USED?
(Ask the PT to state name, DOB, & sponsor's last four)
- STANDARD LABEL COMPLETED AND INITIALED?
(Staff member and PT verify label * & initial)

LASTNAME, FIRSTNAMEXXXXX
DOB: 01 JUL 1992
99/9999
DATE/TIME: _____
SOURCE: _____
- SPECIMEN COLLECTED AND IN CONTAINER?
- APPLY LABEL TO THE SPECIMEN CONTAINER
(IN PATIENT'S PRESENCE WHEN POSSIBLE)
 - SPECIMEN ORDER IN SYSTEM
 - Pathology in CHCS₁
 - Lab in either AHLTA or CHCS₁
- VERIFY LABEL ON SPECIMEN WITH ORDER IN SYSTEM*
- TAKE SPECIMEN TO PATHOLOGY/LAB
- NOTIFY PATHOLOGY/LAB OF ANY VARIANCES THAT CANNOT BE CHANGED

***CORRECT ANY ERRORS
DOCUMENT FINDINGS ON TICK SHEET**

start DOD PtSafetyAward ... DOD PtSafetyAward ... DOD PtSafetyAward ... MHS Conf slides 2011 Labeling of Patient Sp... Search Desktop 1:47 PM

Visual Cue #2 At Provider's Desk



INFOCON: 3 UNCLASSIFIED FPCON: Alpha

Tools - ab - Page 2 of 2 View Options - Close



**ARE ALL YOUR
SPECIMENS ORDERED
AND SIGNED??**


start DOD PtSafetyAwar... DOD PtSafetyAwar... DOD PtSafetyAwar... MHS Conf slides 2011 Labeling of Patient ... Labeling of Patient ... Search Desktop 2:03 PM

Visual Cue #3 Clinic Specimen Room Exit Door



INFOCON: 3 UNCLASSIFIED FPCON: Alpha

Tools - ab Page 1 of 2 View Options - X Close



ARE THOSE SPECIMENS ORDERED???

DO THOSE SPECIMEN LABELS MATCH THE ORDER???

start DOD PtSafetyAwar... DOD PtSafetyAwar... DOD PtSafetyAwar... MHS Conf slides 2011 Labeling of Patient ... Labeling of Patient ... Search Desktop 1:54 PM